Temporary Fencing & Barrier Solutions



2023



Trailblazers in the UK, Manufacturing Temporary Fencing, Barrier Stillage & Signage Solutions



www.securasite.co.uk

Who We Are

Contents

Based in the West Midlands – the heart of manufacturing in the UK – Securasite manufactures our own temporary fencing range and barriers.

When UK manufacturing has never been so important, our unique process of using both autonomous robots and a team of qualified welders produces high quality products at scale like never before.

We can deliver direct anywhere in the UK on your behalf, with white label deliveries also available on request. You can select stock items from our Midland, Northern and Southern depots.

We also specialise in powder coated and bespoke barriers and can deliver small volumes fast.

The catalogue shows the range of our everyday products, but whatever your temporary fencing requirements are, get in touch today to discuss in more detail.



| Pedestrian Barrier | 2 |
|---|--------------|
| HD Pedestrian Barrier | 4 |
| HD Pedestrian Barrier with Name Plates | 5 |
| HD Hawk Pedestrian Barrier Loose Leg | 5 |
| Heavy Duty Event Barrier | 6 |
| Pedestrian Barrier Stillages | 7 |
| Bespoke Solution, Identification and Branding | 8 |
| Police/Crowd Control Barrier | 9 |
| Police/Crowd Barrier Gate | 10 |
| Walkthrough Barrier | 11 |
| Walkthrough Gated Barrier | 12 |
| Walkthrough Winged Saloon Gates | 13 |
| Signage and Panel Area Components | 14 |
| Temporary Fence Round Top Panel | 15 |
| Temporary Fence Heavy Duty Panel | 16 |
| Pedestrian Gates | 17 |
| Vehicle Access Gates | 18 |
| Steel Hoarding | 19 |
| Steel Hoarding Pedestrian & Vehicle Gates | 20 |
| Temporary Fencing & Hoarding Accessories | 21-22 |
| Mesh Panel Barrier | 23-24 |
| Temporary Fencing Standard Stillages | 25 |
| Temporary Fencing Heavy Duty Universal Stillage | es 26 |
| Block & Coupler Stillages | 27 |
| Police Barrier Gate Stillages | 28 |
| Fence Sheeting | 29-30 |

Safe • Strong • Protect

Pedestrian Barrier Fixed Leg

The Securasite Pedestrian Crowd Barriers are easy to install and highly durable.

With a 5mm wire insert and wrap around connector, it's a lightweight offering still fully compatible with other products on the market. Possibly a more cost effective option as a no frills version of our HD fixed leg barrier.

They are ideal for construction and civil sites.



Features



Rigid footing



Specification:

| Length | 2300mm |
|--------------|--------|
| Width (feet) | 460mm |
| Height | 1100mm |
| Weight | 9kg |
| Material | Steel |



See Page 7 for Pedestrian **Barrier Stillages**

Product Codes

PB-23-EC-001 PB-23-EC-001-RED Powder Coated Red PB-23-EC-001-BLK PB-23-EC-001-BSK Powder Coated -

Galvanised Steel PB-23-EC-001-WHT Powder Coated White PB-23-EC-001-YEL Powder Coated Yellow PB-23-EC-001-GRE Powder Coated Green PB-23-EC-001-BLU Powder Coated Blue PB-23-EC-001-ORA Powder Coated Orange Powder Coated Black please specify colour

HD Pedestrian Barrier Fixed Leg

Our HD 'Heavy Duty' Barrier has proven to be durable and stand the test of time.

We feel our fully welded configuration with 12mm inserts, offers strength, reliability and longevity. Hook and Eye connectors are fully compatible with other products on the market.

They are ideal for construction and civil projects, public events, and hire companies.



Features



Balled foot & heavy 12mm inserts



Specification:

| Length | 2300mm |
|--------------|--------|
| Width (feet) | 460mm |
| Height | 1100mm |
| Weight | 11kg |
| Material | Steel |

Product Codes


| PB-23-HD-001 | Galvanised Steel |
|------------------|-----------------------|
| PB-23-HD-001-RED | Powder Coated Red |
| PB-23-HD-001-WHT | Powder Coated White |
| PB-23-HD-001-YEL | Powder Coated Yellow |
| PB-23-HD-001-GRE | Powder Coated Green |
| PB-23-HD-001-BLU | Powder Coated Blue |
| PB-23-HD-001-ORA | Powder Coated Orange |
| PB-23-HD-001-BLK | Powder Coated Black |
| PB-23-HD-001-BSK | Powder Coated - |
| | please specify colour |

HD Pedestrian Barrier Fixed Leg with Name Plate

Our HD 'Heavy Duty' Barrier has proven to be durable and stand the test of time.

We feel our fully welded configuration with 12mm inserts, offers strength, reliability and longevity. It features Hook and Eye connectors and 420mm square name plate.

They are ideal for construction and civil projects, public events, and hire companies.



NO ENTRY

Features





Hook and eye connectors

Specification:

| Length | 2300mm |
|--------------|--------|
| Width (feet) | 460mm |
| Height | 1100mm |
| Weight | 11kg |
| Material | Steel |
| | |

Name Plate 420x420mm

Product Codes

PB-23-HD-053 PB-23-HD-053-RED Powder Coated Red PB-23-HD-053-BLU Powder Coated Blue PB-23-HD-053-BSK Powder Coated -

Galvanised Steel PB-23-HD-053-WHT Powder Coated White PB-23-HD-053-YEL Powder Coated Yellow PB-23-HD-053-GRE Powder Coated Green PB-23-HD-053-ORA Powder Coated Orange PB-23-HD-053-BLK Powder Coated Black please specify colour

HD Hawk Pedestrian Barrier Loose Leg

A 'Heavy Duty' Loose Foot Assembly Pedestrian Barrier for health and safety requirements.

Specification:

- Fully welded galvanised metal tube
- Heavy duty
- Easily interlockable
- Loose foot assembly
- UK manufactured

| Length | 2300mm |
|------------------|--------------------|
| Width | 39mm |
| Width (inc feet) | 450mm |
| Height | 1100mm |
| Weight | 9kg |
| Material | Metal |
| Finish | Pre-galvanised ste |
| | |



Product Code LLB-23-HD-001

Flat footing


Assembled with:

Metal double anti-trip flat footing (ordered as a separate item).



HD Event Barrier Fixed Leg

A 'Heavy Duty' Pedestrian Barrier that's durable for any busy event.



Specification:

- Fully welded
- Heavy duty
- Easily interlockable
- Zinc coated
- Fixed leg
- UK manufactured

| Length | 2300mm |
|--------------|-------------|
| Width (feet) | 460mm |
| Height | 1100mm |
| Weight | 16kg |
| Material | Steel |
| Finish | Zinc coated |
| | |



Product Codes

| EB-23-HD-001-ZGO |
|------------------|
| EB-23-HD-001-ZSI |
| EB-23-HD-001-PCO |
| |

Zinc Coated Gold Zinc Coated Silver Powder Coated please specify colour

Pedestrian Barrier Stillages

Manufactured to industry standards.

Stillages can be stacked for efficient storage.

Forklift stillage enables easy and safe transportation and storage of crowd control barriers.

Stable 4-post design enables easy stacking of crowd control barricades. Designed for rapid deployment, this stillage will hold your barrier panels to enable fast set up on site.

Specification:

| Length | 1420mm |
|----------|--------|
| Width | 1010mm |
| Height | 1320mm |
| Weight | 40 kg |
| Material | Steel |
| | |



ST-23-PB-001-SCOSteelST-23-PB-001-HDGGalvanisedST-23-PB-001-PCOPowder Co

Steel Galvanised Powder Coated please specify colour

Bespoke Solutions and Branding

We can brand up any of our barrier range to match your requirements.

All our fencing and barriers are available in 7 different RAL colours as standard. However, we can also offer powder coating to any RAL number you need to match branding or an existing colour.

Case Study -Wolverhampton Wanderers F.C.

Problem: Required a way of controlling crowds and VIP player viewing area, however needed a temporary solution that could be assembled and disassembled after the relatively short time the fans and football stars we're together.

Solution: Choose our temporary barrier and walkthrough solution because of the quality of build and the bespoke finishes in terms of powder coating in corporate colours with the ability to add name plates branded with the Wolves logo.

Results: A striking temporary segregation solution, that keeps both the fans and the football stars safe, whilst promoting the club's brand.

Additional Branding Options:

Name plates and branded stickers for the name plates are also available, on request.

Metal name plate 135x100mm (LxH) Metal name plate 270x110mm (LxH) Metal name plate 420x420mm (LxH)

Branded sticker laminated finish 80x90mm (LxH) Branded sticker laminated finish 250x80mm (LxH) Branded sticker laminated finish 400x400mm (LxH)



Product Codes

| NP-135-100 | Metal name plate 135mm |
|------------|-------------------------|
| NP-270-110 | Metal name plate 270mm |
| NP-420-420 | Metal name plate 400mm |
| ST-80-90 | Brand sticker 250x80mm |
| ST-250-80 | Brand sticker 250x80mm |
| ST-400-400 | Brand sticker 400x400mm |

Police Crowd Control Barrier

The Securasite Police Barriers are made with safety in mind.

Securasite's Police Barriers are manufactured with safety in mind they are built to withstand the most demanding environments.

Ideal for high security areas and has a base structure designed to prevent sliding.

The mesh infill makes the barrier much harder to reach through and increases the amount of damage the barrier can take before it becomes unusable. The base is specifically designed for these barriers and provides an incredibly stable platform for your barrier.

This barrier has a unique interlocking system that makes it impossible to dismantle your barriers in any way except by starting from one end and working your way to the other. This prevents people from removing barriers from the middle sections.

Features



Hook and eye connections

Available with mesh cover



Specification:

.....

| Length | 1540mm |
|----------|------------------|
| Width | 70mm |
| Height | 1070mm |
| Weight | 26kg |
| Material | Galvanised Steel |



Police Crowd Control Barrier Pedestrian & Vehicle Gate

Provides an instant and high quality method of crowd management access.

Securasite's pedestrian and vehicle gates offer an entrance point and interlock with our control barriers. The gate has wheels and a hinge bar so it can be pivoted for easy access.

Can be powder

coated to any colour





Interlocking bar



Wheels for easy access

Specification:


| Length | 1602mm or 3052mm |
|----------|------------------|
| Width | 70mm |
| Height | 1106mm |
| Weight | 22kg and 34kg |
| Material | Galvanised Steel |

Product Codes

PB-16-EV-001-HDG PB-30-EV-001-HDG Length 1602mm Length 3052mm

Walkthrough Barrier Fixed Leg

Walkthrough barriers offers a safe access point for health and safety requirements.



Specification:

- Fully welded galvanised metal tube
- Powder coated high gloss finish
- Easily interlockable
- Fixed feet assembly
- UK manufactured

| Length | 2300mm | |
|--------------|----------------------|--|
| Width (feet) | 460mm | |
| Height | 2100mm | |
| Weight | 12kg | |
| Material | Pre-galvanised steel | |
| Finish | Powder coated red | |

| Product Codes |
|---|
| WT-23-001-RED WT-23-001-YEL WT-23-001-GRE WT-23-001-BLU WT-23-001-ORA WT-23-001-BLK WT-23-001-BSK |

Walkthrough Gated Barrier Fixed Leg

Walkthrough barriers with gate offers a safe access point for health and safety requirements.



Features



Durable gate



Spring loaded for self closing

Specification:

- Fully welded galvanised metal tube
- Powder coated high gloss finish
- Easily interlockable and fixed feet assembly
- Spring loaded self-closing gate
- UK manufactured

| Length Width (feet) | 2300mm |
|------------------------|----------------------|
| | 460mm 2100mm |
| Height Weight | 19kg |
| Material | Pre-galvanised steel |
| Finish | Powder coated red |
| | |

Product Codes

GATE

 WT-23-WG-001-RED
 Red

 WT-23-WG-001-YEL
 Yellow

 WT-23-WG-001-GRE
 Green

 WT-23-WG-001-BLU
 Blue

 WT-23-WG-001-DRA
 Orange

 WT-23-WG-001-BLK
 Black


 WT-23-WG-001-BLK
 Bespoke

SALOON GATE

| WT-23-WGS-001-RED | Red |
|-------------------|---------|
| WT-23-WGS-001-YEL | Yellow |
| WT-23-WGS-001-GRE | Green |
| WT-23-WGS-001-BLU | Blue |
| WT-23-WGS-001-ORA | |
| WT-23-WGS-001-BLK | |
| WT-23-WGS-001-BSK | Bespoke |

Walkthrough Saloon Barrier with Accessories & Signage

Fixed Leg



Specification:

- Fully welded galvanised metal tube
- Powder coated high gloss finish
- Easily interlockable
- Fixed feet assembly
- Spring loaded self-closing gate
- Replaceable signs & sanitiser station
- UK manufactured

Supplied without signage -Available to order separately. Other colours available to order Length2300mmWidth (feet)460mmHeight2100mmWeight22kgMaterialPre-galvanised steelFinishPowder coated red

Product Codes


 WT-23-WA-001-RED
 No

 WT-23-WGA-001-RED
 Ga

 WT-23-WGSA-001-RED
 Sa

No Gate Gate Saloon Gate

Signage Panel Area Components




Temporary Fencing -Round Top Panel

The Securasite Temporary Fencing is perfect for safety on construction sites.

With a Round Top Horizontal Pitch (40mm) & 15kg panel this product will allow you to ensure the safety of anyone near your project site.

Perfect for protection against dust and debris in a construction area.

Feet not included. Call for prices on larger quantities!





INSTALLATION SERVICE AVAILABLE please enquire!

Specification:

- Anti Climb Mesh Fence Panel
- Round Top
- Horizontal Pitch 40mm
- 15kg per panel
- Feet not included

Length Height Weight Material 3450mm 2025mm 15kg Galvanised steel



See Page 25-26 for Temporary Fence Stillages

Temporary Fencing - Heavy Duty Round Top Infinity Panel

The Securasite Temporary Fencing is perfect for safety on construction sites.

Heavy Duty Securasite fencing or Temporary Fencing Panels are designed to provide the ultimate site security. They're easy to assemble design which means they're an excellent investment for keeping your site safe. The products versatile nature makes them perfect for several situations. Ranging from construction sites, outdoor events and private spaces.

Manufactured from pre-galvanised steel, these panels come at a height of 2025mm and a length of 2500mm.

The panel's sheeting infill helps to make it wind resistant as air can flow through it freely, ensuring that it won't collapse with the stabilisers' help - see pages 29-30.

Temporary fencing is connected with couplers or anti-tamper couplers if you require more security and standard or high visibility temporary fencing feet.

Specification:

- Heavy Duty Full Radius Frame
- Anti Climb Mesh Fence Panel
- Round Top
- Heavy Duty
- Replaceable Legs for Extended Life
- Feet not included



2500mm 2025mm 20kg Galvanised steel



See Page 25-26 for Temporary Fence Stillages

Product Codes

TF-25-HD-001-PGA TF-48-LG-001-PGA Fence Panel Replacement Leg

INSTALLATION SERVICE AVAILABLE please enquire!

Pedestrian Gates -Round Top

The Securasite Pedestrian Gates are quick and easy to assemble.

To use with temporary fencing panels to create a gateway between sectioned areas.

Quick and easy to assemble the Pedestrian Gate slots into the temporary fencing blocks, and then clips together onto the fencing panels to create a strong structure.

Standing at 2000mm high and with a width of 1150mm, these pedestrian gates have been designed for use with both square and round top temporary fencing to create a point of access for staff and visitors to your site.

Constructed from high-quality galvanised steel, these gates have been designed to last and are used again and again.

Each kit comes with a castor wheel, to provide a smooth opening and closing action as well as an additional post, which allows the gate to be secured closed with the use of the sliding latch bolt.

When not in use, the gate can be secured closed with the use of the sliding latch, which can be then locked with a padlock (sold separately). Installation of these gates into a temporary fencing system is quick and easy, requiring either standard or tamper-proof couplers and concrete or thermoplastic feet.

We supply a wide range of temporary fencing panels, gates, and accessories to create a strong, stable, and secure short to the mid-term perimeter for your site.



Specification:

- Access for pedestrians on site
- 2000mm (H) x 1150 (W)
- Weight: 15kg
- Quick & Easy to assemble
- Constructed from high-quality galvanised steel

Product Code TF-11-PG-001-PGA

Vehicle Access Gates

The Securasite Vehicle Access Gate are durable and built for security.

Achieving easy vehicle access to temporary construction sites can present security problems, but Securasite Vehicle Gates offer the perfect solution with fully galvanised and weatherproof steel frames to keep your site under tight control. Securasite vehicle gates come complete with castor wheels and latch, to provide simple access to any site.

Measuring 4 metres wide by 2 metres high, and made from galvanised steel, these vehicle gates provide convenience to any workplace.



Specification:

- Temporary access gates for vehicles on site
- Compatible with temporary fencing and hoarding
- 2000mm (H) x 4200mm (W)
- Weight: 32kg
- Durable frame
- Wind resistant

Product Code TF-42-VG-001-PGA

Steel Hoarding

The Securasite Site Hoarding are robust for security and safety.

Galvanised Steel Hoarding panels are essential for site security and safety. Their robust design offers maximum strength and the box profile sheet finish allows for full privacy.

INSTALLATION SERVICE AVAILABLE please enquire!

PVC Gravel board infill panel

Specification:

| Length | 2100mm |
|----------|------------------|
| Width | 42mm |
| Height | 2000mm or 2400mm |
| Weight | 30kg and 40kg |
| Material | Pre-Galvanised |



Powder coated options available

Product Codes

HO-20-PA-001-PGA Height 2000mm HO-24-PA-001-PGA Height 2400mm

Steel Hoarding Pedestrian & Vehicle Gates

Pedestrian Gate

In order to gain access to your site, we supply gates for pedestrian access.

Specification:

| Length | 850mm |
|----------|------------------|
| Width | 42mm |
| Height | 2000mm or 2400mm |
| Weight | 21kg and 31kg |
| Material | Pre-Galvanised |



HO-20-PG-001-PGA Height 2000mm HO-24-PG-002-PGA Height 2400mm

Vehicle Gate


In order to gain access to your site, we supply gates for vehicle access.

Specification:

| Length | 4314mm |
|----------|------------------|
| Width | 42mm |
| Height | 2000mm or 2400mm |
| Weight | 65kg and 85kg |
| Material | Pre-Galvanised |




Temporary Fencing & Hoarding Accessories



All our fencing and hoarding accessories are designed to enhance our temporary fencing and hoarding to not only make sure that they are safe but also secure.


Contact us for more information.




Mesh Panel Barrier

1 and 1.5 metre panels

Mesh Panel extension to suit 1000mm water filled barrier, giving an overall height of 1245mm.



Mesh Panel extension to suit 1500mm water filled barrier, giving an overall height of approx 1600mm.



Specification:

| Length | 900mm |
|----------|---------------------|
| Width | 40mm |
| Height | 850mm |
| Weight | 4kg |
| Material | Metal |
| Finish | Powder Coated White |

Specification:

| Length | 1500mm |
|----------|---------------------|
| Width | 40mm |
| Height | 1120mm |
| Weight | 12kg |
| Material | Metal |
| Finish | Powder Coated White |


Product Code MP-10-BA-001-WHT

Product Code MP-15-BA-001-WHT

Mesh Panel Barrier

2 metre panels

Mesh Panel extension to suit 2000mm water filled barrier, giving an overall height of approx 2100mm.



Does not include water filled barrier

Specification:

| Length | 1900mm |
|----------|---------------------|
| Width | 40mm |
| Height | 1745mm |
| Weight | 15kg |
| Material | Metal |
| Finish | Powder Coated White |

Product Code MP-20-BA-001-WHT

Temporary Site Fencing Standard Stillages

Standard stillages for stacking and storage.

Temporary Fence Standard Stillages are an excellent and effective solution for the stacking, storage and easy transportation of temporary mesh fencing panels.

Specification:

Length3334mmWidth1910mmHeight1700mmWeight80kgMaterialSteel





Temporary Site Fencing HD Universal Stillages

'Heavy Duty' Stillages for stacking and storage.

Temporary Fence HD Stillages are an excellent and effective solution for the stacking, storage and easy transportation of temporary mesh fencing panels.

Integral fork lift pockets allows for easy transportation. Removable legs for better storage when not in use. Universal storage of both round and square top panels.

Specification: Length 4340mm Width 1980mm Height 1700mm Weight 100 kg Material Steel HOLDS APPROX 30 PANELS

Product Codes

ST-30-TF-002-SCOSteelST-30-TF-002-HDGGalvanisedST-30-TF-002-PCOPowder Coated *colour


Block & Coupler Stillages

Block & Coupler stillages for stacking and storage.

Block and Coupler Standard Stillages are an excellent and effective solution for the stacking, storage and easy transportation of temporary fence rubber blocks.

Specification:

| Length | 2822mm |
|----------|--------|
| Width | 982mm |
| Height | 590mm |
| Weight | 70kg |
| Material | Steel |



Product Codes


ST-28-BL-001-SCOSteelST-28-BL-001-HDGGalvanisedST-28-BL-001-PCOPowder Coated *colour


Police Barrier Gate Stillage

Police Barrier Gate stillages for stacking and storage.

Police Barrier Gate Stillages are an excellent and effective solution for the stacking, storage and easy transportation of temporary 5ft and 8ft gates.

Specification:





Product Codes

ST-20-BL-001-SCOSteelST-20-BL-001-HDGGalvanisedST-20-BL-001-PCOPowder Coated *colour

Fence & Scaffold Sheeting

For site privacy, noise control and custom branding for temporary fencing.

Securasite sheeting is a leading range of weather protection and containment material suitable for installation on temporary fencing panels to provide improved screening and enhanced site security. The vented, sheet, acoustic and mesh materials provide an excellent base for flexographic (repeat logo) and wide-format digital custom printing. Securasite perimeter fencing solutions offer exciting opportunities for corporate branding, promotion and advertising.



Vented sheeting

Securasite Vented Sheeting is a robust open-mesh netting, which allows some passage of air, reducing wind forces on the fencing. Both flame-retardant and non flame-retardant versions are available.

PVC Banners

Securasite PVC Banners are dip coated PVC mesh and coated reinforced PVC. All provide an excellent surface for repeat logo printing or high impact digital graphics. Flame retardant. Sizes to order.

Air Mesh

Securasite Air Mesh is a closely woven air permeable mesh that offers a superior surface for all printing options. Two standard sizes and other sizes to order.

Acoustic sheeting

Securasite Sound Barrier consists of a PVC outer layer and a dense inner foam. This sheeting provides significant noise reduction at noise-sensitive sites. Available either as 10m-long rolls or as panels.

In-House Design and Print Facilities

Securasite perimeter fencing materials are printed in-house, with artwork prepared by our design team.

- Quick turnaround times
- Cost saving benefits
- No minimum order for DigiPrint
- Flexible branding options



| SECURASITE PRODUCT | COLOURS | MINIMUM ORDER | PRINT AREA | CUSTOM PRINTING OR BRANDING |
|------------------------------|----------------------------|---------------|--|--------------------------------|
| FlexoPrint - repeat logos | Standard 1 or 2 colours | 30 rolls | Max width 1070mm Max height 730mm Repeats 1270mm | Vented Sheeting PVC Banners |
| DigiPrint - large logos | Full colour | No minimum | Length unlimited | Acoustic Sheeting & Panels |
| & graphics | | | Max width = roll width | Air Mesh |

FREE MOCKUPS

Send us your logo or graphics and our Securasite design team will create a **FREE mock-up**.


See how eye-catching your artwork will look on perimeter fencing.

Other Products

- Scaffold Sheeting
- Insulated Sheeting
- Keder Roof Sheeting
- Filter Sheeting
- Debris Netting



Safe • Strong • Protect





T: 0330 056 4420 | E: sales@securasite.co.uk

Unit 3, Oakdale Trading Estate, Ham Lane, Kingswinford, Dudley DY6 7JH

www.securasite.co.uk